



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6
1445 ROSS AVENUE, SUITE 1200
DALLAS, TX 75202-2733

REDACTED VERSION

October 16, 2015

(b) (6)
[Redacted]

RE: Wilcox Oil Company Superfund Site – Residential Data Results

Dear Mr. and Mrs. (b) (6)

This letter provides you with a summary of the soil data results for your property. Based on our review of the data, soil samples collected from your property did not exceed levels considered acceptable by EPA for short-term exposures. Although some concentrations exceeded their Residential Screening Level (RSL) for soil, this is merely an indication that further evaluation may be needed. The concentrations that exceeded the RSL are expected to fall within the accepted range established by EPA for long term exposures.

Table 1 presents the results for those chemicals detected in the soil and exceeding the RSL. One metal and one organic chemical were detected at levels that exceed the RSL. All other data fell below the RSL. Arsenic was detected in every sample with the highest result being 6.3 milligrams per kilogram (mg/kg) at a depth of 0 – 2 inches below ground surface. Published reports have documented the background range of arsenic concentrations for Oklahoma as being 0.6 to 21 mg/kg. The highest result of 6.3 mg/kg falls within the range of background concentrations. One Polycyclic Aromatic Hydrocarbon, benzo(a)pyrene, was detected in sample Grid 6 at a depth of 0 – 2 inches below ground surface and at a concentration of 0.021 mg/kg.

Table 1
Grid | Depth | Chemical | Concentration mg/kg | Screening Level mg/kg
Grid 6 | 0 - 2 inches bgs | Benzo(a)pyrene | 0.021 | 0.016

The Residential Soil Screening Levels represent conservative levels developed using risk assessment guidance from the EPA Superfund program. RSLs are considered by the Agency to be protective for humans (including sensitive groups) over a lifetime of exposure. RSLs are not cleanup standards and are used for site "screening" to help identify areas, contaminants, and conditions that may require further investigation at a particular site. Generally, at sites where contaminant concentrations fall below RSLs, no further action or study is warranted under the Superfund program, so long as the exposure assumptions at a site match those used to develop the RSL. Chemical concentrations above the RSL do not automatically trigger a response action; however, exceeding the RSL suggests that further evaluation of the potential risks by site contaminants is appropriate. In addition, further evaluation of the potential risks related to site contaminants that were detected in the soil but have no RSL is appropriate. As we move forward with our site investigation, we will be evaluating these contaminants in more detail through a Site-specific Human Health Risk Assessment to determine the potential risks these contaminants


may pose. For additional information related to Arsenic and Polycyclic Aromatic Hydrocarbons, please see the enclosed contaminant profiles developed by the Agency for Toxic Substances and Disease Registry (ATSDR).

If you are concerned, please consider some of these options while we evaluate these contaminants in more detail.

- Ensure proper hygiene, especially frequent hand washing.
- Soil should be thoroughly shaken off clothes and footwear, before entering homes.
- Use a dust mask when mowing.
- Limit outside digging and soil moving activities.

We would like to follow-up with you during the week of October 26, 2015, to discuss the data presented in this letter and answer any questions that you may have. We will contact you by phone to schedule a time that fits your schedule. In the interim, should you want to talk with us, please contact me at 214-665-8143, or 1-800-533-3508, or contact Todd Downham, Oklahoma Department of Environmental Quality at 405-702-5136.

Sincerely,




Katrina Higgins-Coltrain,
Remedial Project Manager
LA/OK/NM Section

Enclosure 1: Understanding the Soil Collection Process


The following summary is provided to help you better understand how we sampled your property. The figure provided as Enclosure 2 shows that your property was divided into several sample grids. As shown in Figure 2, each Grid has five sample locations. From each of these five locations, a 24 inch long soil core was taken. The soil core was divided into depth intervals of 0-2 inches below ground surface (bgs), 2-6 inches bgs, 6-12 inches bgs, and 12-24 inches bgs. The soil from each depth interval was combined together to produce one sample representing that depth interval. For example, soil from 0-2 inches bgs was collected from each of the five sample locations and then combined into one sample that represents the 0-2 inch depth interval for that Grid. This process was used for each depth interval and results in a total of 4 soil samples for each Grid. One sample represents the 0-2 inches bgs, the second represents 2-6 inches bgs, the third represents 6-12 inches bgs, and the fourth represents 12-24 inches bgs. Figure 2 shows an example of the sample process. If there is no sample result for a depth interval, then we were not able to collect that sample due to little soil recovery or the core could not be pushed deeper because of rock. The table provided in Enclosure 3 summarizes the data results for all chemicals detected in the soil and provides the full list of chemicals that were analyzed. If a chemical is not summarized, then that chemical was not detected in the soil.

Figure 2: Example of Soil Collection Process



● Sample location

Depths for each Sample Location	
	0 – 2 inches below ground surface (bgs)
	2 – 6 inches bgs
	6 – 12 inches bgs
	12 – 24 inches bgs



LEGEND

- Property Boundary
- Sample Grid Location

0 60 120

 Feet



Oklahoma

N ↑



US EPA REGION 6

PROPERTY 005
 SAMPLE LOCATION MAP
 WILCOX OIL
 WEST 221st STREET/REFINERY ROAD
 BRISTOW, CREEK COUNTY, OKLAHOMA

DATE OCTOBER, 2015	PROJECT NO 20406.012.005.0919.01	SCALE AS SHOWN
-----------------------	-------------------------------------	-------------------

**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 1 0-2in bgs 5/19/2015	Grid 1-Duplicate 0-2in bgs 5/19/2015	Grid 1 2-6in bgs 5/21/2015	Grid 1 6-12in bgs 5/21/2015	Grid 1 12-24in bgs 5/21/2015	Grid 1-Duplicate 12-24in bgs 5/21/2015
Metals										
Aluminum	7429-90-5	mg/kg	77000	--	2520	2390	2020	9370	6800	7240
Antimony	7440-36-0	mg/kg	31	--	0.5 U	0.5 U	0.6	0.6 U	0.5 U	0.5 UJ, U
Arsenic	7440-38-2	mg/kg	0.68	--	2.5	1.5	2.1	3.2	2.4	2
Barium	7440-39-3	mg/kg	15000	--	23.4	22.6	21.1	40.5	26.9	26.2
Beryllium	7440-41-7	mg/kg	160	--	0.5 U	0.5 U	0.5 U	0.6 U	0.5 U	0.5 U
Cadmium	7440-43-9	mg/kg	71	--	1.6	1.1	0.5 U	0.6 U	0.5 U	0.5 U
Calcium	7440-70-2	mg/kg	NP	--	3500	3630	1600	856	700	560
Chromium	7440-47-3	mg/kg	NP	--	6.2	3.9	4.8	9.1	9.9	6.8
Cobalt	7440-48-4	mg/kg	23	--	2.5	2.1 U	3.1	4.2	2.9	2.5
Copper	7440-50-8	mg/kg	3100	--	3.1	3.1	2.7	6	7.7	6.8
Iron	7439-89-6	mg/kg	55000	--	6200	4000	5390	13500	13000	8380
Lead	7439-92-1	mg/kg	400	--	13.5	12.7	15.5	7.4	5.7	6
Magnesium	7439-95-4	mg/kg	NP	--	1850	1770	756	757	649	658
Manganese	7439-96-5	mg/kg	1800	--	201	139	197	40.8	27.4	29.7
Mercury	7439-97-6	mg/kg	9.4	--	0.072 U	0.077 U	0.073 U	0.07 U	0.077 U	0.072 U
Nickel	7440-02-0	mg/kg	1500	--	2.3	2.2	2.1	4.3	3	3.1
Potassium	7440-09-7	mg/kg	NP	--	405	422	321	699	472	498
Selenium	7782-49-2	mg/kg	390	--	1.1 U	1.1 U	1 U	1.1 U	1 U	1.1 U
Vanadium	7440-62-2	mg/kg	390	--	11.6	7.2	8.7	20.4	15.6	14.4
Zinc	7440-66-6	mg/kg	23000	--	20.4	20.4	20.2	9.1	6.6	7.9



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 1 0-2in bgs 5/19/2015	Grid 1-Duplicate 0-2in bgs 5/19/2015	Grid 1 2-6in bgs 5/21/2015	Grid 1 6-12in bgs 5/21/2015	Grid 1 12-24in bgs 5/21/2015	Grid 1-Duplicate 12-24in bgs 5/21/2015
Polychlorinated Biphenyls (None Detected)										
Pesticides										
4,4'-DDD	72-54-8	mg/kg	2.3	--	0.0012 LJ	0.00023 LJ	0.0003 LJ	0.0038 U	0.000063 LJ	0.000058 LJ
4,4'-DDE	72-55-9	mg/kg	2	--	0.0002 LJ	0.00039 LJ	0.0037 U	0.00063 LJ	0.0039 U	0.00026 LJ
4,4'-DDT	50-29-3	mg/kg	1.9	--	0.0009 LJ	0.00093 LJ	0.0025 LJ	0.0011 LJ	0.00015 LJ	0.00016 LJ
Aldrin	309-00-2	mg/kg	0.039	--	0.0019 U	0.0019 U	0.0019 U	0.002 U	0.002 U	0.0019 U
alpha-BHC	319-84-6	mg/kg	0.086	--	0.000067 LJ	0.00015 LJ	0.0019 U	0.000057 LJ	0.00004 LJ	0.000024 LJ
Benzaldehyde	100-52-7	mg/kg	7800	--	0.19 U	0.19 U	0.19 U	0.2 U	0.2 U	0.2 U
beta-BHC	319-85-7	mg/kg	0.3	--	0.0019 U	0.00077 LJ	0.0019 U	0.002 U	0.002 U	0.0019 U
Dieldrin	60-57-1	mg/kg	0.034	--	0.0037 U	0.0037 U	0.0037 U	0.0038 U	0.0039 U	0.0038 U
Endosulfan I	959-98-8	mg/kg	NP	--	0.0019 U	0.0019 U	0.0019 U	0.002 U	0.002 U	0.0019 U
Endosulfan II	33213-65-9	mg/kg	NP	--	0.00096 LJ	0.00025 LJ	0.0037 U	0.0038 U	0.0039 U	0.0038 U
Endosulfan sulfate	1031-07-8	mg/kg	NP	--	0.00062 LJ	0.000052 LJ	0.00028 LJ	0.00021 LJ	0.0039 U	0.0038 U
Endrin	72-20-8	mg/kg	19	--	0.00058 LJ	0.0005 LJ	0.00087 LJ	0.0013 LJ	0.0039 U	0.001 LJ
Endrin ketone	53494-70-5	mg/kg	NP	--	0.00037 LJ	0.00011 LJ	0.0037 U	0.0038 U	0.0039 U	0.0038 U
gamma-BHC (Lindane)	58-89-9	mg/kg	0.57	--	0.00044 LJ	0.00037 LJ	0.0001 LJ	0.000062 LJ	0.002 U	0.0019 U
gamma-Chlordane	5103-74-2	mg/kg	NP	--	0.00018 LJ	0.00012 LJ	0.0019 U	0.002 U	0.002 U	0.0019 U
Heptachlor	76-44-8	mg/kg	0.13	--	0.000095 LJ	0.00022 LJ	0.0019 U	0.002 U	0.002 U	0.0019 U
Heptachlor epoxide	1024-57-3	mg/kg	0.07	--	0.0019 U	0.0019 U	0.00071 LJ	0.00035 LJ	0.00037 LJ	0.00026 LJ
Methoxychlor	72-43-5	mg/kg	320	--	0.019 U	0.00041 LJ	0.019 U	0.02 U	0.02 U	0.019 U



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 1 0-2in bgs 5/19/2015	Grid 1-Duplicate 0-2in bgs 5/19/2015	Grid 1 2-6in bgs 5/21/2015	Grid 1 6-12in bgs 5/21/2015	Grid 1 12-24in bgs 5/21/2015	Grid 1-Duplicate 12-24in bgs 5/21/2015
Semi-volatile Organic Compounds										
Bis(2-ethylhexyl)phthalate	117-81-7	mg/kg	39	--	0.19 U	0.017 LJ	0.19 U	0.2 U	0.2 U	0.2 U
Di-n-butylphthalate	84-74-2	mg/kg	6300	--	0.19 U	0.19 U	0.19 U	0.2 U	0.2 U	0.2 U
Semi-volatile Organic Compounds (SIM)										
2-Methylnaphthalene	91-57-6	mg/kg	240	--	0.0034 LJ	0.00077 LJ	0.00076 LJ	0.0039 U	0.0038 U	0.0038 U
Acenaphthene	83-32-9	mg/kg	3600	--	0.0037 UJ	0.0037 UJ	0.0037 UJ	0.0039 U	0.0038 U	0.00079 LJ
Acenaphthylene	208-96-8	mg/kg	NP	--	0.00089 LJ	0.00074 LJ	0.0037 UJ	0.0039 U	0.0038 U	0.0038 U
Anthracene	120-12-7	mg/kg	18000	--	0.0021 LJ	0.002 LJ	0.0019 LJ	0.0039 U	0.0038 U	0.0038 U
Benzo(a)anthracene	56-55-3	mg/kg	0.16	--	0.0033 LJ	0.0026 LJ	0.003 LJ	0.0039 U	0.0038 U	0.0038 U
Benzo(a)pyrene	50-32-8	mg/kg	0.016	--	0.0026 LJ	0.0019 LJ	0.0022 LJ	0.0039 U	0.0038 U	0.0038 U
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16	--	0.0048 J	0.0043 J	0.0034 LJ	0.0039 U	0.0038 U	0.0038 U
Benzo(g,h,i)perylene	191-24-2	mg/kg	NP	--	0.0028 LJ	0.0019 LJ	0.0018 LJ	0.0039 U	0.0011 LJ	0.0014 LJ
Benzo(k)fluoranthene	207-08-9	mg/kg	1.6	--	0.0013 LJ	0.00098 LJ	0.001 LJ	0.0039 U	0.0038 U	0.0038 U
Chrysene	218-01-9	mg/kg	16	--	0.0048 J	0.0042 J	0.0034 LJ	0.0039 U	0.0038 U	0.0038 U
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.016	--	0.00087 LJ	0.00092 LJ	0.0037 UJ	0.0039 U	0.0038 U	0.0038 U
Fluoranthene	206-44-0	mg/kg	2400	--	0.0045 J	0.0035 LJ	0.0033 LJ	0.0039 U	0.0038 U	0.0038 U
Fluorene	86-73-7	mg/kg	2400	--	0.00075 LJ	0.0037 UJ	0.0037 UJ	0.0039 U	0.0038 U	0.0038 U
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	0.16	--	0.004 J	0.0038 J	0.0031 LJ	0.0039 U	0.0038 U	0.0038 U
Naphthalene	91-20-3	mg/kg	3.8	--	0.0019 LJ	0.0037 UJ	0.0037 UJ	0.0039 U	0.0038 U	0.0038 U
Phenanthrene	85-01-8	mg/kg	NP	--	0.0042 J	0.0026 LJ	0.0022 LJ	0.0039 U	0.0038 U	0.0038 U
Pyrene	129-00-0	mg/kg	1800	--	0.0058 J	0.0042 J	0.0041 J	0.0039 U	0.0038 U	0.0038 U

**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 1 0-2in bgs 5/19/2015	Grid 1-Duplicate 0-2in bgs 5/19/2015	Grid 1 2-6in bgs 5/21/2015	Grid 1 6-12in bgs 5/21/2015	Grid 1 12-24in bgs 5/21/2015	Grid 1-Duplicate 12-24in bgs 5/21/2015
Volatile Organic Compounds										
2-Butanone	78-93-3	mg/kg	27000	--	0.0099 U	0.01 U	0.0067 LJ	0.0094 U	0.0066 LJ	0.0032 LJ
Acetone	67-64-1	mg/kg	61000	--	0.0099 U	0.0048 LJ	0.01 UM	0.0094 U	0.0094 U	0.0097 U
Chloroform	67-66-3	mg/kg	0.32	--	0.005 U	0.0052 U	0.00048 LJ	0.00045 LJ	0.0047 U	0.0048 U
Ethylbenzene	100-41-4	mg/kg	5.8	--	0.005 U	0.0052 U	0.005 U	0.0047 U	0.0047 U	0.0048 U
m,p-Xylene	108-38-3/106-42-3	mg/kg	550	--	0.005 U	0.0052 U	0.005 U	0.0047 U	0.0047 U	0.0048 U
Methylene chloride	75-09-2	mg/kg	57	--	0.005 U	0.0052 U	0.005 U	0.0047 U	0.0047 U	0.0048 U
o-Xylene	95-47-6	mg/kg	650	--	0.005 U	0.0052 U	0.005 U	0.0047 U	0.0047 U	0.0048 U
Toluene	108-88-3	mg/kg	4900	--	0.00022 LJ	0.00046 LJ	0.00061 LJ	0.0011 LJ	0.00054 LJ	0.00041 LJ
Trichlorofluoromethane	75-69-4	mg/kg	730	--	0.005 U	0.0052 U	0.005 U	0.0047 U	0.0047 U	0.0048 U

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

Yellow highlighted cells exceed RSL

U - Not Detected at reported quantitation limit

L - Reported concentration is below the CRQL

mg/kg-milligrams per kilogram

BOLD-indicates a detected concentration

bgs-below ground surface

NA - Not Analyzed

NP - Not Published

J - Estimated Value

R - Unusable

SIM-selected ion monitoring

in-inches



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 2 0-2in bgs 5/19/2015	Grid 2 2-6in bgs 5/21/2015	Grid 2 6-12in bgs 5/21/2015	Grid 2 12-24in bgs 5/21/2015	Grid 2-Duplicate 12-24in bgs 5/21/2015
Metals									
Aluminum	7429-90-5	mg/kg	77000	--	1520	3710	6650	14300	15800
Antimony	7440-36-0	mg/kg	31	--	0.5 U	1.1 UJ	1.1 UJ	1.1 UJ	1.1 UJ
Arsenic	7440-38-2	mg/kg	0.68	--	0.9	1.5	2.6	2	3.4
Barium	7440-39-3	mg/kg	15000	--	26	37.3	93.5	73.2	82.9
Beryllium	7440-41-7	mg/kg	160	--	0.5 U	0.53 U	0.55 U	0.62	0.7
Cadmium	7440-43-9	mg/kg	71	--	0.5 U	0.53 U	0.55 U	0.57 U	0.55 U
Calcium	7440-70-2	mg/kg	NP	--	505	558	570	611	694
Chromium	7440-47-3	mg/kg	NP	--	3.9	7.3	11.9	15.4	18.3
Cobalt	7440-48-4	mg/kg	23	--	2.1 U	2.4	8.5	3.8	4
Copper	7440-50-8	mg/kg	3100	--	2.1 U	2.8	3.9	6.9	6.6
Iron	7439-89-6	mg/kg	55000	--	2940	6940	7730	11800	12500
Lead	7439-92-1	mg/kg	400	--	7.7	6.5	12.6	5.9	7.2
Magnesium	7439-95-4	mg/kg	NP	--	229	515 U	684	1200	1360
Manganese	7439-96-5	mg/kg	1800	--	175	343	145	45.4	50
Mercury	7439-97-6	mg/kg	9.4	--	0.071 U	0.011 LJ	0.01 LJ	0.017 LJ	0.013 LJ
Nickel	7440-02-0	mg/kg	1500	--	2.1 U	3.2	6	8.3	8.6
Potassium	7440-09-7	mg/kg	NP	--	279	515 U	769	982	1120
Selenium	7782-49-2	mg/kg	390	--	1.1 U	2.7 U	0.35 LJ	2.9 U	0.39 LJ
Vanadium	7440-62-2	mg/kg	390	--	5.5	11.9	23.6	28.4	34.6
Zinc	7440-66-6	mg/kg	23000	--	14.2	11.7	11.5	16.5	18



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 2 0-2in bgs 5/19/2015	Grid 2 2-6in bgs 5/21/2015	Grid 2 6-12in bgs 5/21/2015	Grid 2 12-24in bgs 5/21/2015	Grid 2-Duplicate 12-24in bgs 5/21/2015
Polychlorinated Biphenyls (None Detected)									
Pesticides									
4,4'-DDD	72-54-8	mg/kg	2.3	--	0.0008 LJ	0.0038 U	0.0037 U	0.0038 U	0.00025 LJ
4,4'-DDE	72-55-9	mg/kg	2	--	0.000049 LJ	0.00031 LJ	0.00026 LJ	0.000072 LJ	0.0038 U
4,4'-DDT	50-29-3	mg/kg	1.9	--	0.00051 LJ	0.0038 U	0.0037 U	0.00021 LJ	0.00019 LJ
Aldrin	309-00-2	mg/kg	0.039	--	0.00011 LJ	0.002 U	0.0019 U	0.002 U	0.002 U
alpha-BHC	319-84-6	mg/kg	0.086	--	0.0019 U	0.000032 LJ	0.000037 LJ	0.002 U	0.002 U
Benzaldehyde	100-52-7	mg/kg	7800	--	0.19 U	0.2 U	0.19 U	0.2 U	0.19 U
beta-BHC	319-85-7	mg/kg	0.3	--	0.00082 LJ	0.002 U	0.0019 U	0.002 U	0.002 U
Dieldrin	60-57-1	mg/kg	0.034	--	0.0037 U	0.0038 U	0.0037 U	0.00031 LJ	0.00026 LJ
Endosulfan I	959-98-8	mg/kg	NP	--	0.0019 U	0.002 U	0.0019 U	0.002 U	0.002 U
Endosulfan II	33213-65-9	mg/kg	NP	--	0.00013 LJ	0.0038 U	0.0037 U	0.00031 LJ	0.0038 U
Endosulfan sulfate	1031-07-8	mg/kg	NP	--	0.00013 LJ	0.00049 LJ	0.0037 U	0.00027 LJ	0.0038 U
Endrin	72-20-8	mg/kg	19	--	0.0037 U	0.0038 U	0.0037 U	0.0017 LJ	0.0038 U
Endrin ketone	53494-70-5	mg/kg	NP	--	0.00013 LJ	0.0038 U	0.0037 U	0.0038 U	0.0038 U
gamma-BHC (Lindane)	58-89-9	mg/kg	0.57	--	0.00025 LJ	0.000021 LJ	0.0019 U	0.002 U	0.002 U
gamma-Chlordane	5103-74-2	mg/kg	NP	--	0.0002 LJ	0.002 U	0.0019 U	0.00011 LJ	0.00019 LJ
Heptachlor	76-44-8	mg/kg	0.13	--	0.00027 LJ	0.002 U	0.0019 U	0.002 U	0.002 U
Heptachlor epoxide	1024-57-3	mg/kg	0.07	--	0.0019 U	0.0003 LJ	0.00015 LJ	0.0021 J	0.002 U
Methoxychlor	72-43-5	mg/kg	320	--	0.0018 LJ	0.02 U	0.019 U	0.02 U	0.02 U



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 2 0-2in bgs 5/19/2015	Grid 2 2-6in bgs 5/21/2015	Grid 2 6-12in bgs 5/21/2015	Grid 2 12-24in bgs 5/21/2015	Grid 2-Duplicate 12-24in bgs 5/21/2015
Semi-volatile Organic Compounds									
Bis(2-ethylhexyl)phthalate	117-81-7	mg/kg	39	--	0.017 LJ	0.02 LJ	0.19 U	0.2 U	0.19 U
Di-n-butylphthalate	84-74-2	mg/kg	6300	--	0.19 U	0.2 U	0.021 LJ	0.2 U	0.19 U
Semi-volatile Organic Compounds (SIM)									
2-Methylnaphthalene	91-57-6	mg/kg	240	--	0.0062 J	0.0038 U	0.0037 U	0.0015 LJ	0.0016 LJ
Acenaphthene	83-32-9	mg/kg	3600	--	0.0026 LJ	0.0038 U	0.0037 U	0.0038 U	0.0038 U
Acenaphthylene	208-96-8	mg/kg	NP	--	0.0033 LJ	0.00087 LJ	0.0037 U	0.0038 U	0.0038 U
Anthracene	120-12-7	mg/kg	18000	--	0.0026 LJ	0.0038 U	0.0037 U	0.0038 U	0.0038 U
Benzo(a)anthracene	56-55-3	mg/kg	0.16	--	0.0041 J	0.0027 LJ	0.0037 U	0.0038 U	0.0038 U
Benzo(a)pyrene	50-32-8	mg/kg	0.016	--	0.0031 LJ	0.0021 LJ	0.0037 U	0.0038 U	0.0038 U
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16	--	0.008 J	0.0038 LJ	0.0037 U	0.0038 U	0.0038 U
Benzo(g,h,i)perylene	191-24-2	mg/kg	NP	--	0.00099 LJ	0.0018 LJ	0.0037 U	0.0038 U	0.0038 U
Benzo(k)fluoranthene	207-08-9	mg/kg	1.6	--	0.0025 LJ	0.0011 LJ	0.0037 U	0.0038 U	0.0038 U
Chrysene	218-01-9	mg/kg	16	--	0.011 J	0.0035 LJ	0.00078 LJ	0.0038 U	0.0038 U
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.016	--	0.00099 LJ	0.0038 U	0.0037 U	0.0038 U	0.0038 U
Fluoranthene	206-44-0	mg/kg	2400	--	0.011 J	0.003 LJ	0.0037 U	0.0038 U	0.0038 U
Fluorene	86-73-7	mg/kg	2400	--	0.0028 LJ	0.0038 U	0.0037 U	0.0038 U	0.0038 U
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	0.16	--	0.0044 J	0.0025 LJ	0.0037 U	0.0038 U	0.0038 U
Naphthalene	91-20-3	mg/kg	3.8	--	0.0032 LJ	0.0038 U	0.0037 U	0.0015 LJ	0.0016 LJ
Phenanthrene	85-01-8	mg/kg	NP	--	0.0046 J	0.0018 LJ	0.0037 U	0.0038 U	0.0038 U
Pyrene	129-00-0	mg/kg	1800	--	0.0094 J	0.0039	0.0037 U	0.0038 U	0.0038 U

**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 2 0-2in bgs 5/19/2015	Grid 2 2-6in bgs 5/21/2015	Grid 2 6-12in bgs 5/21/2015	Grid 2 12-24in bgs 5/21/2015	Grid 2-Duplicate 12-24in bgs 5/21/2015
Volatile Organic Compounds									
2-Butanone	78-93-3	mg/kg	27000	--	0.014 U	0.011 U	0.0091 U	0.01 U	0.012 U
Acetone	67-64-1	mg/kg	61000	--	0.014 U	0.011 U	0.0091 U	0.0064 LJ	0.0028 LJ
Chloroform	67-66-3	mg/kg	0.32	--	0.0069 U	0.0054 U	0.0046 U	0.0052 U	0.00052 LJ
Ethylbenzene	100-41-4	mg/kg	5.8	--	0.0069 U	0.0054 U	0.0046 U	0.0052 U	0.0058 U
m,p-Xylene	108-38-3/106-42-3	mg/kg	550	--	0.0069 U	0.0054 U	0.0046 U	0.0052 U	0.0058 U
Methylene chloride	75-09-2	mg/kg	57	--	0.0069 U	0.0054 U	0.0046 U	0.0052 U	0.0058 U
o-Xylene	95-47-6	mg/kg	650	--	0.0069 U	0.0054 U	0.0046 U	0.0052 U	0.0058 U
Toluene	108-88-3	mg/kg	4900	--	0.00099 LJ	0.0015 LJ	0.00038 LJ	0.00026 LJ	0.00089 LJ
Trichlorofluoromethane	75-69-4	mg/kg	730	--	0.0069 U	0.0054 U	0.0046 U	0.00029 LJ	0.0058 U

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

Yellow highlighted cells exceed RSL

U - Not Detected at reported quantitation limit

L - Reported concentration is below the CRQL

mg/kg-milligrams per kilogram

BOLD-indicates a detected concentration

bgs-below ground surface

NA - Not Analyzed

NP - Not Published

J - Estimated Value

R - Unusable

SIM-selected ion monitoring

in-inches



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 3 0-2in bgs 5/20/2015	Grid 3 2-6in bgs 5/21/2015	Grid 3 6-12in bgs 5/21/2015	Grid 3 12-24in bgs 5/21/2015
Metals								
Aluminum	7429-90-5	mg/kg	77000	--	3030	4990	15600	8310
Antimony	7440-36-0	mg/kg	31	--	0.5 UJ, U	0.6 U	1.1 UJ	0.5 U
Arsenic	7440-38-2	mg/kg	0.68	--	4.5	2.1	3.9	3.3
Barium	7440-39-3	mg/kg	15000	--	26.9	32.6	49.3	31.1
Beryllium	7440-41-7	mg/kg	160	--	0.5 U	0.6 U	0.58	0.5 U
Cadmium	7440-43-9	mg/kg	71	--	0.5 U	0.6 U	0.55 U	0.5 U
Calcium	7440-70-2	mg/kg	NP	--	6130 J	1050	804	483
Chromium	7440-47-3	mg/kg	NP	--	4.4	6.6	17.4	9.4
Cobalt	7440-48-4	mg/kg	23	--	2.5	2.5	3.3	2.4
Copper	7440-50-8	mg/kg	3100	--	4.7	3.8	6.3	3.6
Iron	7439-89-6	mg/kg	55000	--	6030	7850	14700	13400
Lead	7439-92-1	mg/kg	400	--	11 J	5.8	7.3	5.3
Magnesium	7439-95-4	mg/kg	NP	--	2980	523	1230	633
Manganese	7439-96-5	mg/kg	1800	--	225 J	93.2	50.5	22.2
Mercury	7439-97-6	mg/kg	9.4	--	0.071 U	0.074 U	0.011 LJ	0.067 U
Nickel	7440-02-0	mg/kg	1500	--	3.8	3.4	8.7	4.2
Potassium	7440-09-7	mg/kg	NP	--	483	414	1120	515
Selenium	7782-49-2	mg/kg	390	--	1.6	1.1 U	0.34 LJ	1.1 U
Vanadium	7440-62-2	mg/kg	390	--	9.1	12.3	32.9	20.3
Zinc	7440-66-6	mg/kg	23000	--	17.7	8.9	16.4	6.7



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 3 0-2in bgs 5/20/2015	Grid 3 2-6in bgs 5/21/2015	Grid 3 6-12in bgs 5/21/2015	Grid 3 12-24in bgs 5/21/2015
Polychlorinated Biphenyls (None Detected)								
Pesticides								
4,4'-DDD	72-54-8	mg/kg	2.3	--	0.0012 LJ	0.0004 LJ	0.0037 U	0.0037 U
4,4'-DDE	72-55-9	mg/kg	2	--	0.0039 U	0.00028 LJ	0.00032 LJ	0.00018 LJ
4,4'-DDT	50-29-3	mg/kg	1.9	--	0.000052 LJ	0.00076 LJ	0.00069 LJ	0.0037 U
Aldrin	309-00-2	mg/kg	0.039	--	0.002 U	0.0019 U	0.0019 U	0.0019 U
alpha-BHC	319-84-6	mg/kg	0.086	--	0.002 U	0.000044 LJ	0.00002 LJ	0.000057 LJ
Benzaldehyde	100-52-7	mg/kg	7800	--	0.2 U	0.19 U	0.016 LJ	0.19 U
beta-BHC	319-85-7	mg/kg	0.3	--	0.00072 LJ	0.0019 U	0.0019 U	0.0019 U
Dieldrin	60-57-1	mg/kg	0.034	--	0.0039 U	0.0037 U	0.00035 LJ	0.0037 U
Endosulfan I	959-98-8	mg/kg	NP	--	0.00007 LJ	0.0019 U	0.0019 U	0.0019 U
Endosulfan II	33213-65-9	mg/kg	NP	--	0.0031 LJ	0.0037 U	0.000037 LJ	0.0037 U
Endosulfan sulfate	1031-07-8	mg/kg	NP	--	0.0001 LJ	0.0037 U	0.00012 LJ	0.0037 U
Endrin	72-20-8	mg/kg	19	--	0.0014 LJ	0.0037 U	0.0037 U	0.00089 LJ
Endrin ketone	53494-70-5	mg/kg	NP	--	0.00018 LJ	0.0037 U	0.0037 U	0.0037 U
gamma-BHC (Lindane)	58-89-9	mg/kg	0.57	--	0.00025 LJ	0.000053 LJ	0.00012 LJ	0.0019 U
gamma-Chlordane	5103-74-2	mg/kg	NP	--	0.00019 LJ	0.0019 U	0.00016 LJ	0.0019 U
Heptachlor	76-44-8	mg/kg	0.13	--	0.00011 LJ	0.0019 U	0.0019 U	0.0019 U
Heptachlor epoxide	1024-57-3	mg/kg	0.07	--	0.002 U	0.00028 LJ	0.0019 U	0.00028 LJ
Methoxychlor	72-43-5	mg/kg	320	--	0.0016 LJ	0.019 U	0.019 U	0.019 U



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 3 0-2in bgs 5/20/2015	Grid 3 2-6in bgs 5/21/2015	Grid 3 6-12in bgs 5/21/2015	Grid 3 12-24in bgs 5/21/2015
Semi-volatile Organic Compounds								
Bis(2-ethylhexyl)phthalate	117-81-7	mg/kg	39	--	0.17 LJ	0.19 U	0.19 U	0.19 U
Di-n-butylphthalate	84-74-2	mg/kg	6300	--	0.2 U	0.19 U	0.19 U	0.19 U
Semi-volatile Organic Compounds (SIM)								
2-Methylnaphthalene	91-57-6	mg/kg	240	--	0.00094 LJ	0.0038 U	0.002 LJ	0.0037 U
Acenaphthene	83-32-9	mg/kg	3600	--	0.0039 UJ	0.0038 U	0.0037 U	0.0037 U
Acenaphthylene	208-96-8	mg/kg	NP	--	0.0039 UJ	0.0038 U	0.0037 U	0.0037 U
Anthracene	120-12-7	mg/kg	18000	--	0.0015 LJ	0.0038 U	0.0037 U	0.0037 U
Benzo(a)anthracene	56-55-3	mg/kg	0.16	--	0.0048 J	0.0018 LJ	0.00089 LJ	0.0037 U
Benzo(a)pyrene	50-32-8	mg/kg	0.016	--	0.0037 LJ	0.0014 LJ	0.0037 U	0.0037 U
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16	--	0.0074 J	0.0024 LJ	0.0013 LJ	0.0037 U
Benzo(g,h,i)perylene	191-24-2	mg/kg	NP	--	0.0013 LJ	0.0017 LJ	0.0011 LJ	0.0037 U
Benzo(k)fluoranthene	207-08-9	mg/kg	1.6	--	0.002 LJ	0.0038 U	0.0037 U	0.0037 U
Chrysene	218-01-9	mg/kg	16	--	0.0065 J	0.0022 LJ	0.0013 LJ	0.0037 U
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.016	--	0.0011 LJ	0.0038 U	0.0037 U	0.0037 U
Fluoranthene	206-44-0	mg/kg	2400	--	0.0071 J	0.0024 LJ	0.0013 LJ	0.0037 U
Fluorene	86-73-7	mg/kg	2400	--	0.0039 UJ	0.0038 U	0.0037 U	0.0037 U
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	0.16	--	0.0046 J	0.0015 LJ	0.0037 U	0.0037 U
Naphthalene	91-20-3	mg/kg	3.8	--	0.0039 UJ	0.0038 U	0.0018 LJ	0.0037 U
Phenanthrene	85-01-8	mg/kg	NP	--	0.0047 J	0.0013 LJ	0.0013 LJ	0.0037 U
Pyrene	129-00-0	mg/kg	1800	--	0.0094 J	0.0025 LJ	0.0014 LJ	0.0037 U

**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 3 0-2in bgs 5/20/2015	Grid 3 2-6in bgs 5/21/2015	Grid 3 6-12in bgs 5/21/2015	Grid 3 12-24in bgs 5/21/2015
Volatile Organic Compounds								
2-Butanone	78-93-3	mg/kg	27000	--	0.012 U	0.0028 LJ	0.0041 LJ	0.0066 LJ
Acetone	67-64-1	mg/kg	61000	--	0.012 U	0.01 UM	0.015	0.0099 UM
Chloroform	67-66-3	mg/kg	0.32	--	0.006 U	0.005 U	0.0049 U	0.0049 U
Ethylbenzene	100-41-4	mg/kg	5.8	--	0.006 U	0.005 U	0.0049 U	0.0049 U
m,p-Xylene	108-38-3/106-42-3	mg/kg	550	--	0.006 U	0.005 U	0.0049 U	0.0049 U
Methylene chloride	75-09-2	mg/kg	57	--	0.00032 LJ	0.005 U	0.0049 U	0.0049 U
o-Xylene	95-47-6	mg/kg	650	--	0.006 U	0.005 U	0.0049 U	0.0049 U
Toluene	108-88-3	mg/kg	4900	--	0.00085 LJ	0.0012 LJ	0.00087 LJ	0.001 LJ
Trichlorofluoromethane	75-69-4	mg/kg	730	--	0.006 U	0.005 U	0.0049 U	0.0049 U

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

Yellow highlighted cells exceed RSL

U - Not Detected at reported quantitation limit

L - Reported concentration is below the CRQL

mg/kg-milligrams per kilogram

BOLD-indicates a detected concentration

bgs-below ground surface

NA - Not Analyzed

NP - Not Published

J - Estimated Value

R - Unusable

SIM-selected ion monitoring

in-inches



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 4 0-2in bgs 5/20/2015	Grid 4-Duplicate 0-2in bgs 5/20/2015	Grid 4 2-6in bgs 5/21/2015	Grid 4 6-12in bgs 5/21/2015	Grid 4 12-24in bgs 5/21/2015
Metals									
Aluminum	7429-90-5	mg/kg	77000	--	1840	1800	2430	5040	10600
Antimony	7440-36-0	mg/kg	31	--	0.5 U	0.6 U	1.1 UJ	0.5 U	1.2 UJ
Arsenic	7440-38-2	mg/kg	0.68	--	1.5	0.9	1.5	2.6	3.1
Barium	7440-39-3	mg/kg	15000	--	26.6	30.6	32.4	43.7	91.6
Beryllium	7440-41-7	mg/kg	160	--	0.5 U	0.6 U	0.57 U	0.5 U	0.64
Cadmium	7440-43-9	mg/kg	71	--	0.5 U	0.6 U	0.57 U	0.5 U	0.58 U
Calcium	7440-70-2	mg/kg	NP	--	735	1080	753	535	594
Chromium	7440-47-3	mg/kg	NP	--	4.8	3.2	6.5	9	15.5
Cobalt	7440-48-4	mg/kg	23	--	2.5	2.2 U	2.5	4.1	8
Copper	7440-50-8	mg/kg	3100	--	2.4	3	3.1	3.6	7.2
Iron	7439-89-6	mg/kg	55000	--	4310	4080	4590	9010	13400
Lead	7439-92-1	mg/kg	400	--	6.8	11	7	6.6	6.8
Magnesium	7439-95-4	mg/kg	NP	--	255	345	428 U	509	1020
Manganese	7439-96-5	mg/kg	1800	--	170	162	150	181	326
Mercury	7439-97-6	mg/kg	9.4	--	0.078 U	0.066 U	0.0087 LJ	0.071 U	0.013 LJ
Nickel	7440-02-0	mg/kg	1500	--	2.1 U	2.2 U	3	3.2	9.1
Potassium	7440-09-7	mg/kg	NP	--	289	355	428 U	507	811
Selenium	7782-49-2	mg/kg	390	--	1.1 U	1.1 U	2.8 U	1 U	2.9 U
Vanadium	7440-62-2	mg/kg	390	--	8	5.1	10.4	15.7	31.7
Zinc	7440-66-6	mg/kg	23000	--	11.8	14.6	14.1	6.7	15.5



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 4 0-2in bgs 5/20/2015	Grid 4-Duplicate 0-2in bgs 5/20/2015	Grid 4 2-6in bgs 5/21/2015	Grid 4 6-12in bgs 5/21/2015	Grid 4 12-24in bgs 5/21/2015
Polychlorinated Biphenyls (None Detected)									
Pesticides									
4,4'-DDD	72-54-8	mg/kg	2.3	--	0.0038 U	0.00053 LJ	0.00019 LJ	0.00044 LJ	0.0038 U
4,4'-DDE	72-55-9	mg/kg	2	--	0.0038 U	0.0038 U	0.000075 LJ	0.00012 LJ	0.000065 LJ
4,4'-DDT	50-29-3	mg/kg	1.9	--	0.00044 LJ	0.000058 LJ	0.00045 LJ	0.00026 LJ	0.00022 LJ
Aldrin	309-00-2	mg/kg	0.039	--	0.002 U	0.002 U	0.0019 U	0.0019 U	0.002 U
alpha-BHC	319-84-6	mg/kg	0.086	--	0.000032 LJ	0.000072 LJ	0.000015 LJ	0.000019 LJ	0.002 U
Benzaldehyde	100-52-7	mg/kg	7800	--	0.2 U	0.2 U	0.19 U	0.19 U	0.018 LJ
beta-BHC	319-85-7	mg/kg	0.3	--	0.00023 LJ	0.00052 LJ	0.0019 U	0.0019 U	0.002 U
Dieldrin	60-57-1	mg/kg	0.034	--	0.0038 U	0.0038 U	0.00035 LJ	0.00031 LJ	0.00026 LJ
Endosulfan I	959-98-8	mg/kg	NP	--	0.00012 LJ	0.000044 LJ	0.0019 U	0.0019 U	0.002 U
Endosulfan II	33213-65-9	mg/kg	NP	--	0.0038 U	0.0017 LJ	0.0011 LJ	0.0002 LJ	0.00069 LJ
Endosulfan sulfate	1031-07-8	mg/kg	NP	--	0.00036 LJ	0.0007 LJ	0.00028 LJ	0.0038 U	0.00015 LJ
Endrin	72-20-8	mg/kg	19	--	0.0038 U	0.0038 U	0.0037 U	0.00014 LJ	0.0038 U
Endrin ketone	53494-70-5	mg/kg	NP	--	0.00027 LJ	0.00027 LJ	0.0037 U	0.0038 U	0.0038 U
gamma-BHC (Lindane)	58-89-9	mg/kg	0.57	--	0.0002 LJ	0.00023 LJ	0.0003 LJ	0.00017 LJ	0.002 U
gamma-Chlordane	5103-74-2	mg/kg	NP	--	0.000099 LJ	0.00026 LJ	0.00013 LJ	0.00012 LJ	0.00014 LJ
Heptachlor	76-44-8	mg/kg	0.13	--	0.00028 LJ	0.002 U	0.0019 U	0.0019 U	0.002 U
Heptachlor epoxide	1024-57-3	mg/kg	0.07	--	0.002 U	0.002 U	0.0019 U	0.0019 U	0.002 U
Methoxychlor	72-43-5	mg/kg	320	--	0.0014 LJ	0.0011 LJ	0.019 U	0.019 U	0.02 U



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 4 0-2in bgs 5/20/2015	Grid 4-Duplicate 0-2in bgs 5/20/2015	Grid 4 2-6in bgs 5/21/2015	Grid 4 6-12in bgs 5/21/2015	Grid 4 12-24in bgs 5/21/2015
Semi-volatile Organic Compounds									
Bis(2-ethylhexyl)phthalate	117-81-7	mg/kg	39	--	0.062 LJ	0.026 LJ	0.19 U	0.19 U	0.2 U
Di-n-butylphthalate	84-74-2	mg/kg	6300	--	0.13 LJ	0.2 U	0.019 LJ	0.19 U	0.2 U
Semi-volatile Organic Compounds (SIM)									
2-Methylnaphthalene	91-57-6	mg/kg	240	--	0.0039 UJ	0.0038 UJ	0.0021 LJ	0.0018 LJ	0.0018 LJ
Acenaphthene	83-32-9	mg/kg	3600	--	0.0039 UJ	0.0038 UJ	0.0037 U	0.0038 U	0.0039 U
Acenaphthylene	208-96-8	mg/kg	NP	--	0.0039 UJ	0.00098 LJ	0.0037 U	0.0038 U	0.0039 U
Anthracene	120-12-7	mg/kg	18000	--	0.00086 LJ	0.001 LJ	0.0037 U	0.0038 U	0.0039 U
Benzo(a)anthracene	56-55-3	mg/kg	0.16	--	0.0068 J	0.0033 LJ	0.0026 LJ	0.0013 LJ	0.0039 U
Benzo(a)pyrene	50-32-8	mg/kg	0.016	--	0.0039 J	0.0025 LJ	0.0023 LJ	0.00092 LJ	0.0039 U
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16	--	0.0071 J	0.0053 J	0.0037 LJ	0.0017 LJ	0.0039 U
Benzo(g,h,i)perylene	191-24-2	mg/kg	NP	--	0.0015 LJ	0.0038 UJ	0.0025 LJ	0.00092 LJ	0.0039 U
Benzo(k)fluoranthene	207-08-9	mg/kg	1.6	--	0.0015 LJ	0.0015 LJ	0.0012 LJ	0.0038 U	0.0039 U
Chrysene	218-01-9	mg/kg	16	--	0.012 J	0.0044 J	0.0036 LJ	0.0015 LJ	0.0039 U
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.016	--	0.0019 LJ	0.00078 LJ	0.0037 U	0.0038 U	0.0039 U
Fluoranthene	206-44-0	mg/kg	2400	--	0.0044 J	0.0045 J	0.0034 LJ	0.0013 LJ	0.0039 U
Fluorene	86-73-7	mg/kg	2400	--	0.0039 UJ	0.0038 UJ	0.0037 U	0.0038 U	0.0039 U
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	0.16	--	0.0047 J	0.0034 LJ	0.0022 LJ	0.0011 LJ	0.0039 U
Naphthalene	91-20-3	mg/kg	3.8	--	0.0039 UJ	0.00078 LJ	0.002 LJ	0.0017 LJ	0.0018 LJ
Phenanthrene	85-01-8	mg/kg	NP	--	0.0026 LJ	0.002 LJ	0.0024 LJ	0.00095 LJ	0.00081 LJ
Pyrene	129-00-0	mg/kg	1800	--	0.0058 J	0.0049 J	0.0041	0.0015 LJ	0.0039 U



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 4 0-2in bgs 5/20/2015	Grid 4-Duplicate 0-2in bgs 5/20/2015	Grid 4 2-6in bgs 5/21/2015	Grid 4 6-12in bgs 5/21/2015	Grid 4 12-24in bgs 5/21/2015
Volatile Organic Compounds									
2-Butanone	78-93-3	mg/kg	27000	--	0.013 U	0.018 U	0.01 U	0.011 U	0.0096 U
Acetone	67-64-1	mg/kg	61000	--	0.013 U	0.0081 LJ	0.0056 LJ	0.03	0.014
Chloroform	67-66-3	mg/kg	0.32	--	0.0063 U	0.0088 U	0.0051 U	0.0053 U	0.0048 U
Ethylbenzene	100-41-4	mg/kg	5.8	--	0.0063 U	0.0088 U	0.0051 U	0.0053 U	0.0048 U
m,p-Xylene	108-38-3/106-42-3	mg/kg	550	--	0.0063 U	0.0088 U	0.0051 U	0.0053 U	0.0048 U
Methylene chloride	75-09-2	mg/kg	57	--	0.0063 U	0.00059 LJ	0.0051 U	0.0053 U	0.0048 U
o-Xylene	95-47-6	mg/kg	650	--	0.0063 U	0.0088 U	0.0051 U	0.0053 U	0.0048 U
Toluene	108-88-3	mg/kg	4900	--	0.00065 LJ	0.012	0.0022 LJ	0.0053 U	0.0048 U
Trichlorofluoromethane	75-69-4	mg/kg	730	--	0.0063 U	0.0088 U	0.0051 U	0.0053 U	0.0048 U

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

Yellow highlighted cells exceed RSL

U - Not Detected at reported quantitation limit

L - Reported concentration is below the CRQL

mg/kg-milligrams per kilogram

BOLD-indicates a detected concentration

bgs-below ground surface

NA - Not Analyzed

NP - Not Published

J - Estimated Value

R - Unusable

SIM-selected ion monitoring

in-inches



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 5 0-2in bgs 5/20/2015	Grid 5 2-6in bgs 5/21/2015	Grid 5 6-12in bgs 5/21/2015	Grid 6 0-2in bgs 5/20/2015	Grid 6 2-6in bgs 5/21/2015	Grid 6 6-12in bgs 5/21/2015	Grid 6 12-24in bgs 5/21/2015
Metals											
Aluminum	7429-90-5	mg/kg	77000	--	2510	9270	15700	2920	21000	13600	13400
Antimony	7440-36-0	mg/kg	31	--	0.6 U	1.1 UJ	1.1 UJ	0.5 J, U	1.2 UJ	1.2 UJ	1.1 UJ
Arsenic	7440-38-2	mg/kg	0.68	--	1.5	4.3	4.3	1.7	5	6.3	4.1
Barium	7440-39-3	mg/kg	15000	--	27.2	46.7	62.2	25.1	58.2	52.6	53.2
Beryllium	7440-41-7	mg/kg	160	--	0.6 U	0.57 U	0.61	0.5 U	0.7	0.74	0.61
Cadmium	7440-43-9	mg/kg	71	--	0.6 U	0.57 U	0.56 U	0.5 U	0.59 U	0.58 U	0.56 U
Calcium	7440-70-2	mg/kg	NP	--	4700	5800	1780	527	553 U	789	538
Chromium	7440-47-3	mg/kg	NP	--	4.6	12.9	21.5	5.6	23.1	36.7	16.4
Cobalt	7440-48-4	mg/kg	23	--	2.2 U	3.1	3.4	2.7	5.5	5.3	6.4
Copper	7440-50-8	mg/kg	3100	--	4	23.2	10.4	3.2	9.7	9.8	8.8
Iron	7439-89-6	mg/kg	55000	--	5060	12700	23500	5330	24300	17200	21900
Lead	7439-92-1	mg/kg	400	--	16.2	14	7.6	10.8	6.4	8	5.8
Magnesium	7439-95-4	mg/kg	NP	--	1700	1550	1140	303	1500	1090	977
Manganese	7439-96-5	mg/kg	1800	--	194	108	44.9	130 J	49.7	119	124
Mercury	7439-97-6	mg/kg	9.4	--	0.067 U	0.016 LJ	0.014 LJ	0.077 U	0.015 LJ	0.015 LJ	0.019 LJ
Nickel	7440-02-0	mg/kg	1500	--	2.4	12.5	9.9	2.2 U	11.7	9.3	8.8
Potassium	7440-09-7	mg/kg	NP	--	345	895	1170	362	1440	1030	908
Selenium	7782-49-2	mg/kg	390	--	1.1 U	2.8 U	0.35 LJ	1.1 U	0.59 LJ	0.65 LJ	0.41 LJ
Vanadium	7440-62-2	mg/kg	390	--	8.2	18	36.2	9.3	46.8	41.5	32.8
Zinc	7440-66-6	mg/kg	23000	--	20.2	28.3	14.5	12.3	19.3	14.2	12.4



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 5 0-2in bgs 5/20/2015	Grid 5 2-6in bgs 5/21/2015	Grid 5 6-12in bgs 5/21/2015	Grid 6 0-2in bgs 5/20/2015	Grid 6 2-6in bgs 5/21/2015	Grid 6 6-12in bgs 5/21/2015	Grid 6 12-24in bgs 5/21/2015
Polychlorinated Biphenyls (None Detected)											
Pesticides											
4,4'-DDD	72-54-8	mg/kg	2.3	--	0.00068 LJ	0.0003 LJ	0.00016 LJ	0.00062 LJ	0.00011 LJ	0.00017 LJ	0.0038 U
4,4'-DDE	72-55-9	mg/kg	2	--	0.012	0.015	0.0065	0.004 U	0.00012 LJ	0.0037 U	0.0038 U
4,4'-DDT	50-29-3	mg/kg	1.9	--	0.001 LJ	0.0021 LJ	0.00097 LJ	0.00021 LJ	0.0039 U	0.00019 LJ	0.00022 LJ
Aldrin	309-00-2	mg/kg	0.039	--	0.00033 LJ	0.002 U	0.0019 U	0.0021 U	0.002 U	0.0019 U	0.0019 U
alpha-BHC	319-84-6	mg/kg	0.086	--	0.000062 LJ	0.00007 LJ	0.0019 U	0.0021 U	0.000017 LJ	0.000036 LJ	0.0019 U
Benzaldehyde	100-52-7	mg/kg	7800	--	0.22 U	0.4 U	0.19 U	0.21 U	0.2 U	0.19 U	0.19 U
beta-BHC	319-85-7	mg/kg	0.3	--	0.00058 LJ	0.002 U	0.0019 U	0.00016 LJ	0.002 U	0.0019 U	0.0019 U
Dieldrin	60-57-1	mg/kg	0.034	--	0.0044 U	0.00027 LJ	0.00035 LJ	0.004 U	0.00032 LJ	0.0003 LJ	0.00028 LJ
Endosulfan I	959-98-8	mg/kg	NP	--	0.0023 U	0.002 U	0.0019 U	0.0021 U	0.002 U	0.0019 U	0.0019 U
Endosulfan II	33213-65-9	mg/kg	NP	--	0.00031 LJ	0.0016 LJ	0.0012 LJ	0.00088 LJ	0.0003 LJ	0.000048 LJ	0.00063 LJ
Endosulfan sulfate	1031-07-8	mg/kg	NP	--	0.0044 U	0.0002 LJ	0.0037 U	0.004 U	0.00061 LJ	0.00012 LJ	0.000052 LJ
Endrin	72-20-8	mg/kg	19	--	0.0044 U	0.0039 U	0.0037 U	0.001 LJ	0.00011 LJ	0.0037 U	0.0038 U
Endrin ketone	53494-70-5	mg/kg	NP	--	0.000068 LJ	0.0039 U	0.0037 U	0.00028 LJ	0.0039 U	0.0037 U	0.0038 U
gamma-BHC (Lindane)	58-89-9	mg/kg	0.57	--	0.00026 LJ	0.00016 LJ	0.000077 LJ	0.00008 LJ	0.002 U	0.0019 U	0.0019 U
gamma-Chlordane	5103-74-2	mg/kg	NP	--	0.00013 LJ	0.00012 LJ	0.00012 LJ	0.00011 LJ	0.00013 LJ	0.00015 LJ	0.00012 LJ
Heptachlor	76-44-8	mg/kg	0.13	--	0.00048 LJ	0.002 U	0.0019 U	0.0021 U	0.002 U	0.0019 U	0.0019 U
Heptachlor epoxide	1024-57-3	mg/kg	0.07	--	0.0023 U	0.002 U	0.0019 U	0.0021 U	0.002 U	0.0019 U	0.0019 U
Methoxychlor	72-43-5	mg/kg	320	--	0.0017 LJ	0.02 U	0.019 U	0.0013 LJ	0.02 U	0.019 U	0.019 U



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 5 0-2in bgs 5/20/2015	Grid 5 2-6in bgs 5/21/2015	Grid 5 6-12in bgs 5/21/2015	Grid 6 0-2in bgs 5/20/2015	Grid 6 2-6in bgs 5/21/2015	Grid 6 6-12in bgs 5/21/2015	Grid 6 12-24in bgs 5/21/2015	
Semi-volatile Organic Compounds												
Bis(2-ethylhexyl)phthalate	117-81-7	mg/kg	39	--	0.22 U	0.4 U	0.19 U	0.21 U	0.2 U	0.19 U	0.016 LJ	
Di-n-butylphthalate	84-74-2	mg/kg	6300	--	0.22 U	0.4 U	0.19 U	0.21 U	0.2 U	0.19 U	0.19 U	
Semi-volatile Organic Compounds (SIM)												
2-Methylnaphthalene	91-57-6	mg/kg	240	--	0.0043 UJ	0.0031 LJ	0.0025 LJ	0.0052 LJ	0.004	0.0024 LJ	0.0016 LJ	
Acenaphthene	83-32-9	mg/kg	3600	--	0.0043 UJ	0.0039 UJ	0.0038 UJ	0.02 U	0.0039 U	0.0037 U	0.0037 U	
Acenaphthylene	208-96-8	mg/kg	NP	--	0.0012 LJ	0.002 LJ	0.0038 UJ	0.02 U	0.0039 U	0.0037 U	0.0037 U	
Anthracene	120-12-7	mg/kg	18000	--	0.0015 LJ	0.0023 LJ	0.0038 UJ	0.0061 LJ	0.0039 U	0.0037 U	0.0037 U	
Benzo(a)anthracene	56-55-3	mg/kg	0.16	--	0.0063 J	0.01 J	0.0017 LJ	0.041	0.0016 LJ	0.00087 LJ	0.0037 U	
Benzo(a)pyrene	50-32-8	mg/kg	0.016	--	0.0052 J	0.009 J	0.0012 LJ	0.021	0.0012 LJ	0.0037 U	0.0037 U	
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16	--	0.0088 J	0.014 J	0.0021 LJ	0.024	0.002 LJ	0.00096 LJ	0.0037 U	
Benzo(g,h,i)perylene	191-24-2	mg/kg	NP	--	0.0015 LJ	0.0094 J	0.0019 LJ	0.0051 LJ	0.00098 LJ	0.0037 U	0.0037 U	
Benzo(k)fluoranthene	207-08-9	mg/kg	1.6	--	0.0028 LJ	0.0037 LJ	0.0038 UJ	0.0046 LJ	0.0039 U	0.0037 U	0.0037 U	
Chrysene	218-01-9	mg/kg	16	--	0.0083 J	0.012 J	0.0027 LJ	0.066	0.0022 LJ	0.0011 LJ	0.0037 U	
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.016	--	0.0014 LJ	0.0019 LJ	0.0038 UJ	0.0066 LJ	0.0039 U	0.0037 U	0.0037 U	
Fluoranthene	206-44-0	mg/kg	2400	--	0.0084 J	0.015 J	0.0019 LJ	0.02	0.0018 LJ	0.00087 LJ	0.0037 U	
Fluorene	86-73-7	mg/kg	2400	--	0.0043 UJ	0.0039 UJ	0.0038 UJ	0.02 U	0.0039 U	0.0037 U	0.0037 U	
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	0.16	--	0.0054 J	0.007 J	0.0013 LJ	0.014 LJ	0.0013 LJ	0.0037 U	0.0037 U	
Naphthalene	91-20-3	mg/kg	3.8	--	0.001 LJ	0.0022 LJ	0.0021 LJ	0.02 U	0.0026 LJ	0.0019 LJ	0.0017 LJ	
Phenanthrene	85-01-8	mg/kg	NP	--	0.0046 J	0.0071 J	0.0024 LJ	0.074	0.0024 LJ	0.0013 LJ	0.001 LJ	
Pyrene	129-00-0	mg/kg	1800	--	0.0093 J	0.014 J	0.003 LJ	0.064	0.003 LJ	0.0012 LJ	0.0037 U	



**Wilcox Oil
Soil Analytical Data
Bristow, OK**

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level	Property 005 Sample ID Depth Date	Grid 5 0-2in bgs 5/20/2015	Grid 5 2-6in bgs 5/21/2015	Grid 5 6-12in bgs 5/21/2015	Grid 6 0-2in bgs 5/20/2015	Grid 6 2-6in bgs 5/21/2015	Grid 6 6-12in bgs 5/21/2015	Grid 6 12-24in bgs 5/21/2015
Volatile Organic Compounds											
2-Butanone	78-93-3	mg/kg	27000	--	0.012 U	0.011 U	0.034	0.0071 LJ	0.011 U	0.015 U	0.0094 U
Acetone	67-64-1	mg/kg	61000	--	0.012 U	0.027	0.11	0.0097 LJ	0.011 U	0.015 U	0.0076 LJ
Chloroform	67-66-3	mg/kg	0.32	--	0.0062 U	0.0055 U	0.0054 U	0.0061 U	0.0056 U	0.0073 U	0.0047 U
Ethylbenzene	100-41-4	mg/kg	5.8	--	0.0062 U	0.0004 LJ	0.0054 U	0.0061 U	0.0056 U	0.0073 U	0.0047 U
m,p-Xylene	108-38-3/106-42-3	mg/kg	550	--	0.0062 U	0.00093 LJ	0.0054 U	0.0061 U	0.0056 U	0.0073 U	0.0047 U
Methylene chloride	75-09-2	mg/kg	57	--	0.00032 LJ	0.0055 U	0.0054 U	0.00038 LJ	0.0056 U	0.0073 U	0.0047 U
o-Xylene	95-47-6	mg/kg	650	--	0.0062 U	0.00063 LJ	0.0054 U	0.0061 U	0.0056 U	0.0073 U	0.0047 U
Toluene	108-88-3	mg/kg	4900	--	0.0062 U	0.0055 U	0.0054 U	0.00062 LJ	0.0056 U	0.0073 U	0.0047 U
Trichlorofluoromethane	75-69-4	mg/kg	730	--	0.0062 U	0.0055 U	0.0054 U	0.0061 U	0.0056 U	0.0073 U	0.0047 U

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

NA - Not Analyzed

Yellow highlighted cells exceed RSL

NP - Not Published

U - Not Detected at reported quantitation limit

J - Estimated Value

L - Reported concentration is below the CRQL

R - Unusable

mg/kg-milligrams per kilogram

SIM-selected ion monitoring

BOLD-indicates a detected concentration

in-inches

bgs-below ground surface



Enclosure 3: Table 2

Wilcox Oil
Soil Analytical Data
Bristow, OK

Full List of Chemicals Analyzed in the Soil

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level
Metals			
Aluminum	7429-90-5	mg/kg	77000
Antimony	7440-36-0	mg/kg	31
Arsenic	7440-38-2	mg/kg	0.68
Barium	7440-39-3	mg/kg	15000
Beryllium	7440-41-7	mg/kg	160
Cadmium	7440-43-9	mg/kg	71
Calcium	7440-70-2	mg/kg	NP
Chromium	7440-47-3	mg/kg	NP
Cobalt	7440-48-4	mg/kg	23
Copper	7440-50-8	mg/kg	3100
Iron	7439-89-6	mg/kg	55000
Lead	7439-92-1	mg/kg	400
Magnesium	7439-95-4	mg/kg	NP
Manganese	7439-96-5	mg/kg	1800
Mercury	7439-97-6	mg/kg	9.4
Nickel	7440-02-0	mg/kg	1500
Potassium	7440-09-7	mg/kg	NP
Selenium	7782-49-2	mg/kg	390
Silver	7440-22-4	mg/kg	390
Sodium	7440-23-5	mg/kg	NP
Thallium	7440-28-0	mg/kg	0.78
Vanadium	7440-62-2	mg/kg	390
Zinc	7440-66-6	mg/kg	23000
Pesticides			
4,4'-DDD	72-54-8	mg/kg	2.3
4,4'-DDE	72-55-9	mg/kg	2
4,4'-DDT	50-29-3	mg/kg	1.9
Acetophenone	98-86-2	mg/kg	7800
Aldrin	309-00-2	mg/kg	0.039
alpha-BHC	319-84-6	mg/kg	0.086
alpha-Chlordane	5103-71-9	mg/kg	NP
Atrazine	1912-24-9	mg/kg	2.4
Benzaldehyde	100-52-7	mg/kg	7800
beta-BHC	319-85-7	mg/kg	0.3
Caprolactam	105-60-2	mg/kg	31000
Carbazole	86-74-8	mg/kg	NP
delta-BHC	319-86-8	mg/kg	NP
Dieldrin	60-57-1	mg/kg	0.034
Endosulfan I	959-98-8	mg/kg	NP
Endosulfan II	33213-65-9	mg/kg	NP
Endosulfan sulfate	1031-07-8	mg/kg	NP
Endrin	72-20-8	mg/kg	19
Endrin aldehyde	7421-93-4	mg/kg	NP
Endrin ketone	53494-70-5	mg/kg	NP
gamma-BHC (Lindane)	58-89-9	mg/kg	0.57
gamma-Chlordane	5103-74-2	mg/kg	NP
Heptachlor	76-44-8	mg/kg	0.13
Heptachlor epoxide	1024-57-3	mg/kg	0.07
Methoxychlor	72-43-5	mg/kg	320
Toxaphene	8001-35-2	mg/kg	0.49

mg/kg-milligrams per kilogram

NP - Not Published

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level
Polychlorinated Biphenyls			
Aroclor-1016	12674-11-2	mg/kg	4.1
Aroclor-1221	11104-28-2	mg/kg	0.17
Aroclor-1232	11141-16-5	mg/kg	0.17
Aroclor-1242	53469-21-9	mg/kg	0.23
Aroclor-1248	12672-29-6	mg/kg	0.23
Aroclor-1254	11097-69-1	mg/kg	0.24
Aroclor-1260	11096-82-5	mg/kg	0.24
Aroclor-1262	37324-23-5	mg/kg	NP
Aroclor-1268	11100-14-4	mg/kg	NP
Volatile Organic Compounds			
1,1,1-Trichloroethane	71-55-6	mg/kg	8100
1,1,2,2-Tetrachloroethane	79-34-5	mg/kg	0.6
1,1,2-Trichloroethane	79-00-5	mg/kg	1.1
1,1-Dichloroethane	75-34-3	mg/kg	3.6
1,1-Dichloroethene	75-35-4	mg/kg	230
1,2,3-Trichlorobenzene	87-61-6	mg/kg	63
1,2-Dibromo-3-chloropropane	96-12-8	mg/kg	0.0053
1,2-Dibromoethane	106-93-4	mg/kg	0.036
1,2-Dichlorobenzene	95-50-1	mg/kg	1800
1,2-Dichloroethane	107-06-2	mg/kg	0.46
1,2-Dichloropropane	78-87-5	mg/kg	1
1,3-Dichlorobenzene	541-73-1	mg/kg	NP
1,4-Dichlorobenzene	106-46-7	mg/kg	2.6
2-Butanone	78-93-3	mg/kg	27000
2-Hexanone	591-78-6	mg/kg	200
4-Methyl-2-Pentanone	108-10-1	mg/kg	5300
Acetone	67-64-1	mg/kg	61000
Benzene	71-43-2	mg/kg	1.2
Bromochloromethane	74-97-5	mg/kg	150
Bromodichloromethane	75-27-4	mg/kg	0.29
Bromoform	75-25-2	mg/kg	19
Bromomethane	74-83-9	mg/kg	6.8
Carbon disulfide	75-15-0	mg/kg	770
Carbon tetrachloride	56-23-5	mg/kg	0.65
Chlorobenzene	108-90-7	mg/kg	280
Chloroethane	75-00-3	mg/kg	14000
Chloroform	67-66-3	mg/kg	0.32
Chloromethane	74-87-3	mg/kg	110
cis-1,2-Dichloroethene	156-59-2	mg/kg	160
cis-1,3-Dichloropropene	10061-01-5	mg/kg	NP
Cyclohexane	110-82-7	mg/kg	6500
Dibromochloromethane	124-48-1	mg/kg	0.75
Dichlorodifluoromethane	75-71-8	mg/kg	87
Ethylbenzene	100-41-4	mg/kg	5.8
Isopropylbenzene	98-82-8	mg/kg	1900
m,p-Xylene	88-33-3/106-4	mg/kg	550
Methyl acetate	79-20-9	mg/kg	78000
Methyl tert-butyl ether	1634-04-4	mg/kg	47
Methylcyclohexane	108-87-2	mg/kg	NP
Methylene chloride	75-09-2	mg/kg	57
o-Xylene	95-47-6	mg/kg	650
Styrene	100-42-5	mg/kg	6000
Tetrachloroethene	127-18-4	mg/kg	24
Toluene	108-88-3	mg/kg	4900
trans-1,2-Dichloroethene	156-60-5	mg/kg	1600
trans-1,3-Dichloropropene	10061-02-6	mg/kg	NP
Trichloroethene	79-01-6	mg/kg	0.94
Trichlorofluoromethane	75-69-4	mg/kg	730
Vinyl chloride	75-01-4	mg/kg	0.059

Enclosure 3: Table 2

Wilcox Oil
Soil Analytical Data
Bristow, OK

Full List of Chemicals Analyzed in the Soil

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level
Semi-volatile Organic Compounds			
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	mg/kg	40000
1,1'-Biphenyl	92-52-4	mg/kg	47
1,2,4,5-Tetrachlorobenzene	95-94-3	mg/kg	23
1,2,4-Trichlorobenzene	120-82-1	mg/kg	24
1,4-Dioxane	123-91-1	mg/kg	5.3
2,2'-Oxybis(1-chloropropane)	108-60-1	mg/kg	4.9
2,3,4,6-Tetrachlorophenol	58-90-2	mg/kg	1900
2,4,5-Trichlorophenol	95-95-4	mg/kg	6300
2,4,6-Trichlorophenol	88-06-2	mg/kg	49
2,4-Dichlorophenol	120-83-2	mg/kg	190
2,4-Dimethylphenol	105-67-9	mg/kg	1300
2,4-Dinitrophenol	51-28-5	mg/kg	130
2,4-Dinitrotoluene	121-14-2	mg/kg	1.7
2,6-Dinitrotoluene	606-20-2	mg/kg	0.36
2-Chloronaphthalene	91-58-7	mg/kg	4800
2-Chlorophenol	95-57-8	mg/kg	390
2-Methylnaphthalene	91-57-6	mg/kg	240
2-Methylphenol	95-48-7	mg/kg	3200
2-Nitroaniline	88-74-4	mg/kg	630
2-Nitrophenol	88-75-5	mg/kg	NP
3,3'-Dichlorobenzidine	91-94-1	mg/kg	1.2
3-Nitroaniline	99-09-2	mg/kg	NP
4,6-Dinitro-2-methylphenol	534-52-1	mg/kg	5.1
4-Bromophenyl-phenylether	101-55-3	mg/kg	NP
4-Chloro-3-methylphenol	59-50-7	mg/kg	6300
4-Chloroaniline	106-47-8	mg/kg	2.7
4-Chlorophenyl-phenylether	7005-72-3	mg/kg	NP
4-Methylphenol	106-44-5	mg/kg	6300
4-Nitroaniline	100-01-6	mg/kg	27
4-Nitrophenol	100-02-7	mg/kg	NP
Benzo(a)anthracene	56-55-3	mg/kg	0.16
Benzo(a)pyrene	50-32-8	mg/kg	0.016
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16
Bis(2-chloroethoxy)methane	111-91-1	mg/kg	190
Bis(2-chloroethyl)ether	111-44-4	mg/kg	0.23
Bis(2-ethylhexyl)phthalate	117-81-7	mg/kg	39
Butylbenzylphthalate	85-68-7	mg/kg	290
Chrysene	218-01-9	mg/kg	16
Dibenzofuran	132-64-9	mg/kg	73
Diethylphthalate	84-66-2	mg/kg	51000
Dimethylphthalate	131-11-3	mg/kg	NP
Di-n-butylphthalate	84-74-2	mg/kg	6300
Di-n-octylphthalate	117-84-0	mg/kg	630
Fluoranthene	206-44-0	mg/kg	2400
Hexachlorobenzene	118-74-1	mg/kg	0.21
Hexachlorobutadiene	87-68-3	mg/kg	1.2
Hexachlorocyclopentadiene	77-47-4	mg/kg	1.8
Hexachloroethane	67-72-1	mg/kg	1.8
Isophorone	78-59-1	mg/kg	570
Nitrobenzene	98-95-3	mg/kg	5.1
N-Nitroso-di-n-propylamine	621-64-7	mg/kg	0.078
N-Nitrosodiphenylamine	86-30-6	mg/kg	110
Pentachlorophenol	87-86-5	mg/kg	1
Phenanthrene	85-01-8	mg/kg	NP
Phenol	108-95-2	mg/kg	19000
Pyrene	129-00-0	mg/kg	1800

Analyte	CAS.NO	Units	EPA Residential Soil Screening Level
Semi-volatile Organic Compounds (SIM)			
2-Methylnaphthalene	91-57-6	mg/kg	240
Acenaphthene	83-32-9	mg/kg	3600
Acenaphthylene	208-96-8	mg/kg	NP
Anthracene	120-12-7	mg/kg	18000
Benzo(a)anthracene	56-55-3	mg/kg	0.16
Benzo(a)pyrene	50-32-8	mg/kg	0.016
Benzo(b)fluoranthene	205-99-2	mg/kg	0.16
Benzo(g,h,i)perylene	191-24-2	mg/kg	NP
Benzo(k)fluoranthene	207-08-9	mg/kg	1.6
Chrysene	218-01-9	mg/kg	16
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.016
Fluoranthene	206-44-0	mg/kg	2400
Fluorene	86-73-7	mg/kg	2400
Indeno(1,2,3-cd)pyrene	193-39-5	mg/kg	0.16
Naphthalene	91-20-3	mg/kg	3.8
Pentachlorophenol	87-86-5	mg/kg	1
Phenanthrene	85-01-8	mg/kg	NP
Pyrene	129-00-0	mg/kg	1800

mg/kg-milligrams per kilogram

SIM-selected ion monitor

NP - Not Published

Residential Soil Screening Level- June 2015 EPA Residential Soil RSL

Enclosure 4: Agency for Toxic Substances and Disease Registry Fact Sheets

Enclosure 4: Agency for Toxic Substances and Disease Registry fact sheets for Arsenic and Polycyclic Aromatic Hydrocarbons

This fact sheet answers the most frequently asked health questions (FAQs) about arsenic. For more information, call the CDC Information Center at 1-800-232-4636. This fact sheet is one in a series of summaries about hazardous substances and their health effects. It is important you understand this information because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present.

HIGHLIGHTS: Exposure to higher than average levels of arsenic occur mostly in the workplace, near hazardous waste sites, or in areas with high natural levels. At high levels, inorganic arsenic can cause death. Exposure to lower levels for a long time can cause a discoloration of the skin and the appearance of small corns or warts. Arsenic has been found in at least 1,149 of the 1,684 National Priority List (NPL) sites identified by the Environmental Protection Agency (EPA).

What is arsenic?

Arsenic is a naturally occurring element widely distributed in the earth's crust. In the environment, arsenic is combined with oxygen, chlorine, and sulfur to form inorganic arsenic compounds. Arsenic in animals and plants combines with carbon and hydrogen to form organic arsenic compounds.

Inorganic arsenic compounds are mainly used to preserve wood. Copper chromated arsenate (CCA) is used to make "pressure-treated" lumber. CCA is no longer used in the U.S. for residential uses; it is still used in industrial applications. Organic arsenic compounds are used as pesticides, primarily on cotton fields and orchards.

What happens to arsenic when it enters the environment?

- Arsenic occurs naturally in soil and minerals and may enter the air, water, and land from wind-blown dust and may get into water from runoff and leaching.
- Arsenic cannot be destroyed in the environment. It can only change its form.
- Rain and snow remove arsenic dust particles from the air.
- Many common arsenic compounds can dissolve in water. Most of the arsenic in water will ultimately end up in soil or sediment.
- Fish and shellfish can accumulate arsenic; most of this arsenic is in an organic form called arsenobetaine that is much less harmful.

How might I be exposed to arsenic?

- Ingesting small amounts present in your food and water or breathing air containing arsenic.
- Breathing sawdust or burning smoke from wood treated with arsenic.
- Living in areas with unusually high natural levels of arsenic in rock.
- Working in a job that involves arsenic production or use, such as copper or lead smelting, wood treating, or pesticide application.

How can arsenic affect my health?

Breathing high levels of inorganic arsenic can give you a sore throat or irritated lungs.

Ingesting very high levels of arsenic can result in death. Exposure to lower levels can cause nausea and vomiting, decreased production of red and white blood cells, abnormal heart rhythm, damage to blood vessels, and a sensation of "pins and needles" in hands and feet.

Ingesting or breathing low levels of inorganic arsenic for a long time can cause a darkening of the skin and the appearance of small "corns" or "warts" on the palms, soles, and torso.

Skin contact with inorganic arsenic may cause redness and swelling.

Almost nothing is known regarding health effects of organic arsenic compounds in humans. Studies in animals show that some simple organic arsenic

Arsenic

CAS # 7440-38-2

compounds are less toxic than inorganic forms. Ingestion of methyl and dimethyl compounds can cause diarrhea and damage to the kidneys.

How likely is arsenic to cause cancer?

Several studies have shown that ingestion of inorganic arsenic can increase the risk of skin cancer and cancer in the liver, bladder, and lungs. Inhalation of inorganic arsenic can cause increased risk of lung cancer. The Department of Health and Human Services (DHHS) and the EPA have determined that inorganic arsenic is a known human carcinogen. The International Agency for Research on Cancer (IARC) has determined that inorganic arsenic is carcinogenic to humans.

How can arsenic affect children?

There is some evidence that long-term exposure to arsenic in children may result in lower IQ scores. There is also some evidence that exposure to arsenic in the womb and early childhood may increase mortality in young adults.

There is some evidence that inhaled or ingested arsenic can injure pregnant women or their unborn babies, although the studies are not definitive. Studies in animals show that large doses of arsenic that cause illness in pregnant females, can also cause low birth weight, fetal malformations, and even fetal death. Arsenic can cross the placenta and has been found in fetal tissues. Arsenic is found at low levels in breast milk.

How can families reduce the risks of exposure to arsenic?

- If you use arsenic-treated wood in home projects, you should wear dust masks, gloves, and protective clothing to decrease exposure to sawdust.
- If you live in an area with high levels of arsenic in water or soil, you should use cleaner sources of water and limit contact with soil.

- If you work in a job that may expose you to arsenic, be aware that you may carry arsenic home on your clothing, skin, hair, or tools. Be sure to shower and change clothes before going home.

Is there a medical test to determine whether I've been exposed to arsenic?

There are tests available to measure arsenic in your blood, urine, hair, and fingernails. The urine test is the most reliable test for arsenic exposure within the last few days. Tests on hair and fingernails can measure exposure to high levels of arsenic over the past 6-12 months. These tests can determine if you have been exposed to above-average levels of arsenic. They cannot predict whether the arsenic levels in your body will affect your health.

Has the federal government made recommendations to protect human health?

The EPA has set limits on the amount of arsenic that industrial sources can release to the environment and has restricted or cancelled many of the uses of arsenic in pesticides. EPA has set a limit of 0.01 parts per million (ppm) for arsenic in drinking water.

The Occupational Safety and Health Administration (OSHA) has set a permissible exposure limit (PEL) of 10 micrograms of arsenic per cubic meter of workplace air ($10 \mu\text{g}/\text{m}^3$) for 8 hour shifts and 40 hour work weeks.

References

Agency for Toxic Substances and Disease Registry (ATSDR). 2007. Toxicological Profile for Arsenic (Update). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

Where can I get more information?

For more information, contact the Agency for Toxic Substances and Disease Registry, Division of Toxicology and Human Health Sciences, 1600 Clifton Road NE, Mailstop F-57, Atlanta, GA 30333.

Phone: 1-800-232-4636

ToxFAQs™ Internet address via WWW is <http://www.atsdr.cdc.gov/toxfaqs/index.asp>.

ATSDR can tell you where to find occupational and environmental health clinics. Their specialists can recognize, evaluate, and treat illnesses resulting from exposure to hazardous substances. You can also contact your community or state health or environmental quality department if you have any more questions or concerns.

Polycyclic Aromatic Hydrocarbons (PAHs) - ToxFAQs™

This fact sheet answers the most frequently asked health questions (FAQs) about polycyclic aromatic hydrocarbons (PAHs). For more information, call the CDC Information Center at 1-800-232-4636. This fact sheet is one in a series of summaries about hazardous substances and their health effects. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present.

SUMMARY: Exposure to polycyclic aromatic hydrocarbons usually occurs by breathing air contaminated by wild fires or coal tar, or by eating foods that have been grilled. PAHs have been found in at least 600 of the 1,430 National Priorities List (NPL) sites identified by the Environmental Protection Agency (EPA).

What are polycyclic aromatic hydrocarbons?

(Pronounced pŏl'ī-sī'klīk ār'ə-măt'īk hī'drə-kar'bənz)

Polycyclic aromatic hydrocarbons (PAHs) are a group of over 100 different chemicals that are formed during the incomplete burning of coal, oil and gas, garbage, or other organic substances like tobacco or charbroiled meat. PAHs are usually found as a mixture containing two or more of these compounds, such as soot.

Some PAHs are manufactured. These pure PAHs usually exist as colorless, white, or pale yellow-green solids. PAHs are found in coal tar, crude oil, creosote, and roofing tar, but a few are used in medicines or to make dyes, plastics, and pesticides.

What happens to PAHs when they enter the environment?

- PAHs enter the air mostly as releases from volcanoes, forest fires, burning coal, and automobile exhaust.
- PAHs can occur in air attached to dust particles.
- Some PAH particles can readily evaporate into the air from soil or surface waters.
- PAHs can break down by reacting with sunlight and other chemicals in the air, over a period of days to weeks.
- PAHs enter water through discharges from industrial and wastewater treatment plants.

- Most PAHs do not dissolve easily in water. They stick to solid particles and settle to the bottoms of lakes or rivers.
- Microorganisms can break down PAHs in soil or water after a period of weeks to months.
- In soils, PAHs are most likely to stick tightly to particles; certain PAHs move through soil to contaminate underground water.
- PAH contents of plants and animals may be much higher than PAH contents of soil or water in which they live.

How might I be exposed to PAHs?

- Breathing air containing PAHs in the workplace of coking, coal-tar, and asphalt production plants; smokehouses; and municipal trash incineration facilities.
- Breathing air containing PAHs from cigarette smoke, wood smoke, vehicle exhausts, asphalt roads, or agricultural burn smoke.
- Coming in contact with air, water, or soil near hazardous waste sites.
- Eating grilled or charred meats; contaminated cereals, flour, bread, vegetables, fruits, meats; and processed or pickled foods.
- Drinking contaminated water or cow's milk.
- Nursing infants of mothers living near hazardous waste sites may be exposed to PAHs through their mother's milk.

Polycyclic Aromatic Hydrocarbons

How can PAHs affect my health?

Mice that were fed high levels of one PAH during pregnancy had difficulty reproducing and so did their offspring. These offspring also had higher rates of birth defects and lower body weights. It is not known whether these effects occur in people.

Animal studies have also shown that PAHs can cause harmful effects on the skin, body fluids, and ability to fight disease after both short- and long-term exposure. But these effects have not been seen in people.

How likely are PAHs to cause cancer?

The Department of Health and Human Services (DHHS) has determined that some PAHs may reasonably be expected to be carcinogens.

Some people who have breathed or touched mixtures of PAHs and other chemicals for long periods of time have developed cancer. Some PAHs have caused cancer in laboratory animals when they breathed air containing them (lung cancer), ingested them in food (stomach cancer), or had them applied to their skin (skin cancer).

Is there a medical test to show whether I've been exposed to PAHs?

In the body, PAHs are changed into chemicals that can attach to substances within the body. There are special tests that can detect PAHs attached to these substances in body tissues or blood. However, these tests cannot tell whether any health effects will occur or find out the extent or source of your exposure to the PAHs. The tests aren't usually available in your doctor's office because special equipment is needed to conduct them.

Has the federal government made recommendations to protect human health?

The Occupational Safety and Health Administration (OSHA) has set a limit of 0.2 milligrams of PAHs per cubic meter of air (0.2 mg/m³). The OSHA Permissible Exposure Limit (PEL) for mineral oil mist that contains PAHs is 5 mg/m³ averaged over an 8-hour exposure period.

The National Institute for Occupational Safety and Health (NIOSH) recommends that the average workplace air levels for coal tar products not exceed 0.1 mg/m³ for a 10-hour workday, within a 40-hour workweek. There are other limits for workplace exposure for things that contain PAHs, such as coal, coal tar, and mineral oil.

Glossary

Carcinogen: A substance that can cause cancer.

Ingest: Take food or drink into your body.

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1995. Toxicological profile for polycyclic aromatic hydrocarbons. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

Where can I get more information?

For more information, contact the Agency for Toxic Substances and Disease Registry, Division of Toxicology and Human Health Sciences, 1600 Clifton Road NE, Mailstop F-57, Atlanta, GA 30333.

Phone: 1-800-232-4636.

ToxFAQs™ Internet address via WWW is <http://www.atsdr.cdc.gov/toxfaqs/index.asp>.

ATSDR can tell you where to find occupational and environmental health clinics. Their specialists can recognize, evaluate, and treat illnesses resulting from exposure to hazardous substances. You can also contact your community or state health or environmental quality department if you have any more questions or concerns.